

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878 Issue date: 12.03.2025 Revision date: 12.03.2025 Supersedes version of: 20.04.202

Supersedes version of: 20.01.2023

Version: 7.0

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form Mixture

Trade name CFS-S ACR / CP 606 Product code **BU Fire Protection** Sealants Type of product



#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Industrial/Professional use spec For professional use only Use of the substance/mixture Flexible firestop sealant Adhesives, Sealants Function or use category

#### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

Supplier

Hilti Deutschland AG Hiltistr. 2

DE 86916 Kaufering Deutschland

T +49 8191 90-0 , F +49 8191 90-1122

de.kundenservice@hilti.com

Department issuing data specification sheet

Hilti AG

Feldkircherstraße 100 FI 9494 Schaan Liechtenstein T +423 234 2111

product.compliance-fire.protection@hilti.com

#### 1.4. Emergency telephone number

Emergency CONTACT (24-Hour-Number): **Emergency number** 

GBK GmbH Global Regulatory Compliance

+49 (0)6132-84463

## **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

Adverse physicochemical, human health and environmental effects

No additional information available

## 2.2. Label elements

## Labelling according to Regulation (EC) No. 1272/2008 [CLP]

**EUH-statements** EUH208 - Contains 2-octyl-2H-isothiazol-3-one, 1,2-Benzisothiazol-3(2H)-on, Mixture of 5-

chloro-2-methylisothiazol-3(2H)-one and 2-methylisothiazol-3(2H)-one . May produce an

allergic reaction.

EUH211 - Warning! Hazardous respirable droplets may be formed when sprayed. Do not

breathe spray or mist.

#### 2.3. Other hazards

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII



# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

Component		
2-octyl-2H-isothiazol-3-one (26530-20-1)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII	
1,2-Benzisothiazol-3(2H)-on (2634-33-5)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII	
Titanium dioxide (13463-67-7)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII	
Mixture of 5-chloro-2-methylisothiazol-3(2H)-one and 2-methylisothiazol-3(2H)-one (55965-84-9)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII	

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

Component	
Titanium dioxide (13463-67-7)	The substance is not included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605
1,2-Benzisothiazol-3(2H)-on (2634-33-5)	The substance is not included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605
2-octyl-2H-isothiazol-3-one (26530-20-1)	The substance is not included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605
Mixture of 5-chloro-2-methylisothiazol-3(2H)-one and 2-methylisothiazol-3(2H)-one (55965-84-9)	The substance is not included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605

# **SECTION 3: Composition/information on ingredients**

## 3.1. Substances

Not applicable

### 3.2. Mixtures

Name	Product identifier		Classification according to Regulation (EC) No. 1272/2008 [CLP]
Titanium dioxide	CAS-No.: 13463-67-7 EC-No.: 236-675-5 EC Index-No.: 022-006-00-2 REACH-no: 01-2119489379-	< 2,5	Carc. 2, H351
	17		



# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
1,2-Benzisothiazol-3(2H)-on	CAS-No.: 2634-33-5 EC-No.: 220-120-9 EC Index-No.: 613-088-00-6 REACH-no: 01-2120761540-60	<0,015	Acute Tox. 4 (Oral), H302 (ATE=450 mg/kg bodyweight) Acute Tox. 1 (Inhalation), H330 (ATE=0,29 mg/l) Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
2-octyl-2H-isothiazol-3-one Stoff mit nationalem Arbeitsplatzgrenzwert (DE)	CAS-No.: 26530-20-1 EC-No.: 247-761-7 EC Index-No.: 613-112-00-5	<0,0015	Acute Tox. 3 (Oral), H301 (ATE=100 mg/kg bodyweight) Acute Tox. 3 (Dermal), H311 (ATE=300 mg/kg bodyweight) Acute Tox. 2 (Inhalation), H330 (ATE=0,05 mg/l/4h) Skin Corr. 1, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400 (M=100) Aquatic Chronic 1, H410 (M=100) EUH071
Mixture of 5-chloro-2-methylisothiazol-3(2H)-one and 2-methylisothiazol-3(2H)-one	CAS-No.: 55965-84-9 EC Index-No.: 613-167-00-5	<0.001	Acute Tox. 3 (Oral), H301 (ATE=66 mg/kg bodyweight) Acute Tox. 2 (Dermal), H310 (ATE=50 mg/kg bodyweight) Acute Tox. 2 (Inhalation), H330 (ATE=0,05 mg/l/4h) Acute Tox. 2 (Inhalation:dust,mist), H330 (ATE=0,05 mg/l/4h) Skin Corr. 1C, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400 (M=100) Aquatic Chronic 1, H410 (M=100) EUH071

Specific concentration limits:		
Name	Product identifier	Specific concentration limits
1,2-Benzisothiazol-3(2H)-on	CAS-No.: 2634-33-5 EC-No.: 220-120-9 EC Index-No.: 613-088-00-6 REACH-no: 01-2120761540- 60	(0,036 ≤ C ≤ 100) Skin Sens. 1, H317
2-octyl-2H-isothiazol-3-one	CAS-No.: 26530-20-1 EC-No.: 247-761-7 EC Index-No.: 613-112-00-5	(0,0015 ≤ C ≤ 100) Skin Sens. 1A, H317
Mixture of 5-chloro-2-methylisothiazol-3(2H)-one and 2-methylisothiazol-3(2H)-one	CAS-No.: 55965-84-9 EC Index-No.: 613-167-00-5	$(0,0015 \le C \le 100)$ Skin Sens. 1A, H317 $(0,06 \le C < 0,6)$ Skin Irrit. 2, H315 $(0,06 \le C < 0,6)$ Eye Irrit. 2, H319 $(0,6 \le C \le 100)$ Skin Corr. 1C, H314 $(0,6 \le C \le 100)$ Eye Dam. 1, H318



## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Full text of H- and EUH-statements: see section 16

## **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

First-aid measures general Never give anything by mouth to an unconscious person. If you feel unwell, seek medical

advice (show the label where possible).

First-aid measures after inhalation Get medical advice/attention if you feel unwell. Allow affected person to breathe fresh air.

Allow the victim to rest.

First-aid measures after skin contact Wash skin with plenty of water. If skin irritation occurs: Get medical advice/attention.

Remove affected clothing and wash all exposed skin area with mild soap and water,

followed by warm water rinse.

First-aid measures after eye contact Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness

persists.

First-aid measures after ingestion Get medical advice/attention if you feel unwell. Rinse mouth. Do NOT induce vomiting.

Obtain emergency medical attention.

## 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects Not expected to present a significant hazard under anticipated conditions of normal use.

#### 4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

## **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

Suitable extinguishing media Water spray. Dry powder. Foam. Carbon dioxide. Sand.

Unsuitable extinguishing media Do not use a heavy water stream.

## 5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire Carbon dioxide. Carbon monoxide.

#### 5.3. Advice for firefighters

chemical fire. Prevent fire fighting water from entering the environment.

Protection during firefighting Self-contained breathing apparatus. Complete protective clothing. Do not enter fire area

without proper protective equipment, including respiratory protection.

## **SECTION 6: Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

Emergency procedures Evacuate unnecessary personnel.

#### 6.1.2. For emergency responders

Protective equipment For further information refer to section 8: "Exposure controls/personal protection". Equip

cleanup crew with proper protection.

Emergency procedures Ventilate area.

## 6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.



## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up Mechanically recover the product. On land, sweep or shovel into suitable containers.

Minimise generation of dust. Store away from other materials.

#### 6.4. Reference to other sections

For further information refer to section 13. See Section 8. Exposure controls and personal protection.

## **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Precautions for safe handling Wear personal protective equipment. Wash hands and other exposed areas with mild soap

and water before eating, drinking or smoking and when leaving work. Provide good

ventilation in process area to prevent formation of vapour.

Hygiene measures Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this

product. Always wash hands after handling the product.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions Store in a dry place. Keep container closed when not in use.

Incompatible products Strong bases. Strong acids.
Incompatible materials Sources of ignition. Direct sunlight.

Storage temperature 1,5-35 °C

Storage class (LGK, TRGS 510) LGK 11 - Combustible solids

#### 7.3. Specific end use(s)

No additional information available

## **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

Additional information The product has a pasty consistency. Exposure limit values for respirable dusts are not

relevant for this product.

### 8.1.1. National occupational exposure and biological limit values

2-octyl-2H-isothiazol-3-one (26530-20-1)	
Germany - Occupational Exposure Limits (TRGS 900)	
Local name	2-Octyl-2H-isothiazol-3-on
AGW (OEL TWA)	0,05 mg/m³
Remark	DFG,H,Y

## 8.1.2. Recommended monitoring procedures

No additional information available

#### 8.1.3. Air contaminants formed

No additional information available

#### 8.1.4. DNEL and PNEC

No additional information available

#### 8.1.5. Control banding

No additional information available

### 8.2. Exposure controls

#### 8.2.1. Appropriate engineering controls

No additional information available



## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

#### 8.2.2. Personal protection equipment

#### Personal protective equipment:

Protective clothing. Safety glasses. Gloves. Avoid all unnecessary exposure.

#### Personal protective equipment symbol(s):







#### 8.2.2.1. Eye and face protection

#### Eye protection:

Chemical goggles or safety glasses

Eye protection			
Туре	Field of application	Characteristics	Standard
Safety glasses			EN 166, EN 170

#### 8.2.2.2. Skin protection

#### Skin and body protection:

Wear suitable protective clothing

## Hand protection:

Protective gloves. ISO 374-1. Wear protective gloves.

Hand protection					
Туре	Material	Permeation	Thickness (mm)	Penetration	Standard
Disposable gloves	Nitrile rubber (NBR)	1 (> 10 minutes)	>0.4		EN ISO 374

#### 8.2.2.3. Respiratory protection

#### Respiratory protection:

Not necessary with sufficient ventilation

## 8.2.2.4. Thermal hazards

No additional information available

#### 8.2.3. Environmental exposure controls

## Other information:

Do not eat, drink or smoke during use. No additional information available

## **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Physical state Solid

Colour red. white. Grey.

Appearance Pasty.

Not determined Molecular mass characteristic. Odour Odour threshold Not determined Melting point Not applicable Freezing point Not available Not available Boiling point



## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Flammability Not applicable, Non flammable.

Lower explosion limit Not applicable Upper explosion limit Not applicable Not applicable Flash point Not applicable Auto-ignition temperature Decomposition temperature Not available ≈ 9 Not applicable pН pH solution Not available Viscosity, kinematic Not applicable Not available Solubility Partition coefficient n-octanol/water (Log Kow) Not available Vapour pressure Not available Not available Vapour pressure at 50°C Density 1,6 g/cm3 Relative density Not available Relative vapour density at 20°C Not applicable Particle size Not available Particle size distribution Not available Particle shape Not available Particle aspect ratio Not available Particle specific surface area Not available

#### 9.2. Other information

Particle dustiness

#### 9.2.1. Information with regard to physical hazard classes

No additional information available

#### 9.2.2. Other safety characteristics

No additional information available

## **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

#### 10.2. Chemical stability

Stable under normal conditions. Not established.

#### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use. Not established.

#### 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7). Direct sunlight. Extremely high or low temperatures.

Not available

#### 10.5. Incompatible materials

Strong acids. Strong bases.

## 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. fume. Carbon monoxide. Carbon dioxide.

## **SECTION 11: Toxicological information**

## 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral)

Acute toxicity (dermal)

Acute toxicity (inhalation)

Not classified

Not classified



# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

2-octyl-2H-isothiazol-3-one (26530-20-1)	
LD50 oral rat	550 mg/kg (Rat, Literature study, Oral)
LD50 oral	355 mg/kg
LD50 dermal rabbit	690 mg/kg bodyweight (Rabbit, Literature study, Dermal)
LD50 dermal	311 mg/kg
LC50 Inhalation - Rat	> 2 mg/m³ (4 h, Rat, Literature study, Inhalation (vapours))
LC50 Inhalation - Rat (Dust/Mist)	0,586 mg/l/4h
1,2-Benzisothiazol-3(2H)-on (2634-33-5)	
LD50 oral rat	490 mg/kg bodyweight (Equivalent or similar to OECD 401, Rat, Male / female,
EDSO Grantat	Experimental value, Oral, 14 day(s))
LD50 oral	670 mg/kg
LD50 dermal rat	> 2000 mg/kg bodyweight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Experimental value, Dermal, 14 day(s))
LD50 dermal	2500 mg/kg
Titanium dioxide (13463-67-7)	
LD50 oral rat	> 2000 mg/kg bodyweight (OECD 401: Acute Oral Toxicity, Rat, Male / female, Experimental value, Oral, 14 day(s))
LD50 oral	5000 mg/kg
LC50 Inhalation - Rat	> 5,09 mg/l (OECD 403: Acute Inhalation Toxicity, 4 h, Rat, Male, Experimental value, Inhalation (dust), 14 day(s))
Mixture of 5-chloro-2-methylisothiazol-3(2	2H)-one and 2-methylisothiazol-3/2H)-one /55065-8/L0\
	211/ One and 2-memynoomazor-o(211/-one (33303-04-3)
LD50 oral rat	66 mg/kg bodyweight (OECD 401: Acute Oral Toxicity, Rat, Male / female, Experimental value, Calculated by reference to active substance, Oral, 14 day(s))
,	66 mg/kg bodyweight (OECD 401: Acute Oral Toxicity, Rat, Male / female, Experimental
LD50 oral rat	66 mg/kg bodyweight (OECD 401: Acute Oral Toxicity, Rat, Male / female, Experimental value, Calculated by reference to active substance, Oral, 14 day(s))  > 141 mg/kg bodyweight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female,
LD50 oral rat  LD50 dermal rat  LC50 Inhalation - Rat	66 mg/kg bodyweight (OECD 401: Acute Oral Toxicity, Rat, Male / female, Experimental value, Calculated by reference to active substance, Oral, 14 day(s))  > 141 mg/kg bodyweight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Experimental value, Dermal, 14 day(s))  0,17 mg/l air (OECD 403: Acute Inhalation Toxicity, 4 h, Rat, Male / female, Experimental value, Calculated by reference to active substance, Inhalation (dust), 14 day(s))  Not classified
LD50 oral rat  LD50 dermal rat  LC50 Inhalation - Rat  Skin corrosion/irritation	66 mg/kg bodyweight (OECD 401: Acute Oral Toxicity, Rat, Male / female, Experimental value, Calculated by reference to active substance, Oral, 14 day(s))  > 141 mg/kg bodyweight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Experimental value, Dermal, 14 day(s))  0,17 mg/l air (OECD 403: Acute Inhalation Toxicity, 4 h, Rat, Male / female, Experimental value, Calculated by reference to active substance, Inhalation (dust), 14 day(s))  Not classified pH: ≈ 9 Not applicable
LD50 oral rat  LD50 dermal rat  LC50 Inhalation - Rat  Skin corrosion/irritation  Additional information	66 mg/kg bodyweight (OECD 401: Acute Oral Toxicity, Rat, Male / female, Experimental value, Calculated by reference to active substance, Oral, 14 day(s))  > 141 mg/kg bodyweight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Experimental value, Dermal, 14 day(s))  0,17 mg/l air (OECD 403: Acute Inhalation Toxicity, 4 h, Rat, Male / female, Experimenta value, Calculated by reference to active substance, Inhalation (dust), 14 day(s))  Not classified pH: ≈ 9 Not applicable Based on available data, the classification criteria are not met
LD50 oral rat  LD50 dermal rat  LC50 Inhalation - Rat  Skin corrosion/irritation  Additional information	66 mg/kg bodyweight (OECD 401: Acute Oral Toxicity, Rat, Male / female, Experimental value, Calculated by reference to active substance, Oral, 14 day(s))  > 141 mg/kg bodyweight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Experimental value, Dermal, 14 day(s))  0,17 mg/l air (OECD 403: Acute Inhalation Toxicity, 4 h, Rat, Male / female, Experimental value, Calculated by reference to active substance, Inhalation (dust), 14 day(s))  Not classified pH: ≈ 9 Not applicable
LD50 oral rat  LD50 dermal rat  LC50 Inhalation - Rat  Skin corrosion/irritation  Additional information  Serious eye damage/irritation	66 mg/kg bodyweight (OECD 401: Acute Oral Toxicity, Rat, Male / female, Experimental value, Calculated by reference to active substance, Oral, 14 day(s))  > 141 mg/kg bodyweight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Experimental value, Dermal, 14 day(s))  0,17 mg/l air (OECD 403: Acute Inhalation Toxicity, 4 h, Rat, Male / female, Experimenta value, Calculated by reference to active substance, Inhalation (dust), 14 day(s))  Not classified pH: ≈ 9 Not applicable Based on available data, the classification criteria are not met Not classified
LD50 oral rat  LD50 dermal rat  LC50 Inhalation - Rat  Skin corrosion/irritation  Additional information  Serious eye damage/irritation  Additional information  Respiratory or skin sensitisation	66 mg/kg bodyweight (OECD 401: Acute Oral Toxicity, Rat, Male / female, Experimental value, Calculated by reference to active substance, Oral, 14 day(s))  > 141 mg/kg bodyweight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Experimental value, Dermal, 14 day(s))  0,17 mg/l air (OECD 403: Acute Inhalation Toxicity, 4 h, Rat, Male / female, Experimental value, Calculated by reference to active substance, Inhalation (dust), 14 day(s))  Not classified pH: ≈ 9 Not applicable  Based on available data, the classification criteria are not met  Not classified pH: ≈ 9 Not applicable
LD50 oral rat  LD50 dermal rat  LC50 Inhalation - Rat  Skin corrosion/irritation  Additional information  Serious eye damage/irritation  Additional information  Respiratory or skin sensitisation  Additional information	66 mg/kg bodyweight (OECD 401: Acute Oral Toxicity, Rat, Male / female, Experimental value, Calculated by reference to active substance, Oral, 14 day(s))  > 141 mg/kg bodyweight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Experimental value, Dermal, 14 day(s))  0,17 mg/l air (OECD 403: Acute Inhalation Toxicity, 4 h, Rat, Male / female, Experimental value, Calculated by reference to active substance, Inhalation (dust), 14 day(s))  Not classified pH: ≈ 9 Not applicable  Based on available data, the classification criteria are not met  Not classified pH: ≈ 9 Not applicable  Based on available data, the classification criteria are not met  Skin sensitization: Not classified.  Based on available data, the classification criteria are not met
LD50 oral rat  LD50 dermal rat  LC50 Inhalation - Rat  Skin corrosion/irritation  Additional information  Serious eye damage/irritation  Additional information  Respiratory or skin sensitisation  Additional information  Germ cell mutagenicity	66 mg/kg bodyweight (OECD 401: Acute Oral Toxicity, Rat, Male / female, Experimental value, Calculated by reference to active substance, Oral, 14 day(s))  > 141 mg/kg bodyweight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Experimental value, Dermal, 14 day(s))  0,17 mg/l air (OECD 403: Acute Inhalation Toxicity, 4 h, Rat, Male / female, Experimental value, Calculated by reference to active substance, Inhalation (dust), 14 day(s))  Not classified pH: ≈ 9 Not applicable  Based on available data, the classification criteria are not met  Not classified pH: ≈ 9 Not applicable  Based on available data, the classification criteria are not met  Skin sensitization: Not classified.  Based on available data, the classification criteria are not met  Not classified
LD50 oral rat  LD50 dermal rat  LC50 Inhalation - Rat  Skin corrosion/irritation  Additional information Serious eye damage/irritation  Additional information Respiratory or skin sensitisation  Additional information Germ cell mutagenicity  Additional information	66 mg/kg bodyweight (OECD 401: Acute Oral Toxicity, Rat, Male / female, Experimental value, Calculated by reference to active substance, Oral, 14 day(s))  > 141 mg/kg bodyweight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Experimental value, Dermal, 14 day(s))  0,17 mg/l air (OECD 403: Acute Inhalation Toxicity, 4 h, Rat, Male / female, Experimental value, Calculated by reference to active substance, Inhalation (dust), 14 day(s))  Not classified pH: ≈ 9 Not applicable  Based on available data, the classification criteria are not met  Not classified pH: ≈ 9 Not applicable  Based on available data, the classification criteria are not met  Skin sensitization: Not classified.  Based on available data, the classification criteria are not met  Not classified  Based on available data, the classification criteria are not met
LD50 oral rat  LD50 dermal rat  LC50 Inhalation - Rat  Skin corrosion/irritation  Additional information Serious eye damage/irritation  Additional information Respiratory or skin sensitisation  Additional information  Germ cell mutagenicity	66 mg/kg bodyweight (OECD 401: Acute Oral Toxicity, Rat, Male / female, Experimental value, Calculated by reference to active substance, Oral, 14 day(s))  > 141 mg/kg bodyweight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Experimental value, Dermal, 14 day(s))  0,17 mg/l air (OECD 403: Acute Inhalation Toxicity, 4 h, Rat, Male / female, Experimental value, Calculated by reference to active substance, Inhalation (dust), 14 day(s))  Not classified pH: ≈ 9 Not applicable  Based on available data, the classification criteria are not met  Not classified pH: ≈ 9 Not applicable  Based on available data, the classification criteria are not met  Skin sensitization: Not classified.  Based on available data, the classification criteria are not met  Not classified
LD50 oral rat  LD50 dermal rat  LC50 Inhalation - Rat  Skin corrosion/irritation  Additional information Serious eye damage/irritation  Additional information Respiratory or skin sensitisation Additional information Germ cell mutagenicity Additional information Carcinogenicity	66 mg/kg bodyweight (OECD 401: Acute Oral Toxicity, Rat, Male / female, Experimental value, Calculated by reference to active substance, Oral, 14 day(s))  > 141 mg/kg bodyweight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Experimental value, Dermal, 14 day(s))  0,17 mg/l air (OECD 403: Acute Inhalation Toxicity, 4 h, Rat, Male / female, Experimental value, Calculated by reference to active substance, Inhalation (dust), 14 day(s))  Not classified pH: ≈ 9 Not applicable  Based on available data, the classification criteria are not met  Not classified pH: ≈ 9 Not applicable  Based on available data, the classification criteria are not met  Skin sensitization: Not classified.  Based on available data, the classification criteria are not met  Not classified  Based on available data, the classification criteria are not met  Not classified
LD50 oral rat  LD50 dermal rat  LC50 Inhalation - Rat  Skin corrosion/irritation  Additional information  Serious eye damage/irritation  Additional information  Respiratory or skin sensitisation  Additional information  Germ cell mutagenicity  Additional information  Carcinogenicity  Additional information	66 mg/kg bodyweight (OECD 401: Acute Oral Toxicity, Rat, Male / female, Experimental value, Calculated by reference to active substance, Oral, 14 day(s))  > 141 mg/kg bodyweight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Experimental value, Dermal, 14 day(s))  0,17 mg/l air (OECD 403: Acute Inhalation Toxicity, 4 h, Rat, Male / female, Experimental value, Calculated by reference to active substance, Inhalation (dust), 14 day(s))  Not classified pH: ≈ 9 Not applicable  Based on available data, the classification criteria are not met  Not classified pH: ≈ 9 Not applicable  Based on available data, the classification criteria are not met  Skin sensitization: Not classified.  Based on available data, the classification criteria are not met  Not classified  Based on available data, the classification criteria are not met  Not classified
LD50 oral rat  LD50 dermal rat  LC50 Inhalation - Rat  Skin corrosion/irritation  Additional information Serious eye damage/irritation  Additional information Respiratory or skin sensitisation Additional information Germ cell mutagenicity Additional information Carcinogenicity Additional information  Carcinogenicity Additional information  Titanium dioxide (13463-67-7)  IARC group	66 mg/kg bodyweight (OECD 401: Acute Oral Toxicity, Rat, Male / female, Experimental value, Calculated by reference to active substance, Oral, 14 day(s))  > 141 mg/kg bodyweight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Experimental value, Dermal, 14 day(s))  0,17 mg/l air (OECD 403: Acute Inhalation Toxicity, 4 h, Rat, Male / female, Experimental value, Calculated by reference to active substance, Inhalation (dust), 14 day(s))  Not classified pH: ≈ 9 Not applicable  Based on available data, the classification criteria are not met  Not classified pH: ≈ 9 Not applicable  Based on available data, the classification criteria are not met  Skin sensitization: Not classified.  Based on available data, the classification criteria are not met  Not classified  Based on available data, the classification criteria are not met  Not classified  Based on available data, the classification criteria are not met  Not classified  Based on available data, the classification criteria are not met  Not classified  Based on available data, the classification criteria are not met
LD50 oral rat  LD50 dermal rat  LC50 Inhalation - Rat  Skin corrosion/irritation  Additional information Serious eye damage/irritation  Additional information Respiratory or skin sensitisation Additional information Germ cell mutagenicity Additional information Carcinogenicity Additional information  Titanium dioxide (13463-67-7)	66 mg/kg bodyweight (OECD 401: Acute Oral Toxicity, Rat, Male / female, Experimental value, Calculated by reference to active substance, Oral, 14 day(s))  > 141 mg/kg bodyweight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Experimental value, Dermal, 14 day(s))  0,17 mg/l air (OECD 403: Acute Inhalation Toxicity, 4 h, Rat, Male / female, Experimental value, Calculated by reference to active substance, Inhalation (dust), 14 day(s))  Not classified pH: ≈ 9 Not applicable Based on available data, the classification criteria are not met Not classified pH: ≈ 9 Not applicable Based on available data, the classification criteria are not met Skin sensitization: Not classified. Based on available data, the classification criteria are not met Not classified Based on available data, the classification criteria are not met Not classified Based on available data, the classification criteria are not met Not classified Based on available data, the classification criteria are not met



## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Additional information Based on available data, the classification criteria are not met

STOT-repeated exposure Not classified

Additional information Based on available data, the classification criteria are not met

Aspiration hazard Not classified

Additional information Based on available data, the classification criteria are not met

#### 11.2. Information on other hazards

### 11.2.1. Endocrine disrupting properties

#### 11.2.2. Other information

Potential adverse human health effects and

symptoms

Based on available data, the classification criteria are not met

## **SECTION 12: Ecological information**

#### 12.1. Toxicity

Ecology - general The product is not considered harmful to aquatic organisms nor to cause long-term adverse

effects in the environment.

Hazardous to the aquatic environment, short-term

Hazardous to the aquatic environment, long-term

Not classified

Not classified

(chronic)	Not diabstified
2-octyl-2H-isothiazol-3-one (26530-20-1)	
LC50 - Fish [1]	0,14 mg/l (96 h, Pimephales promelas, Literature study)
LC50 - Fish [2]	0,05 mg/l (96 h, Oncorhynchus mykiss, Literature study)
EC50 - Crustacea [1]	0,18 mg/l (48 h, Daphnia magna, Literature study)
EC50 - Crustacea [2]	0,32 mg/l (48 h, Daphnia magna, Literature study)
NOEC chronic fish	0,012 mg/l
1,2-Benzisothiazol-3(2H)-on (2634-33-5)	
LC50 - Fish [1]	2,18 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Oncorhynchus mykiss, Static system, Experimental value, Nominal concentration)
EC50 - Crustacea [1]	0,99 mg/l
ErC50 algae	150 μg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Pseudokirchneriella subcapitata, Experimental value, GLP)
Titanium dioxide (13463-67-7)	
LC50 - Fish [1]	> 1000 mg/l (Pisces, Fresh water)
LC50 - Other aquatic organisms [1]	> 10000 mg/l
EC50 - Crustacea [1]	> 1000 mg/l (Invertebrata, Fresh water)
EC50 - Crustacea [2]	> 10000 mg/l
EC50 72h - Algae [1]	> 100 mg/l (OECD 201: Alga, Growth Inhibition Test, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, Growth rate)
ErC50 algae	61 mg/l (EPA 600/9-78-018, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, Nominal concentration)
Mixture of 5-chloro-2-methylisothiazol-3(2H)-one	and 2-methylisothiazol-3(2H)-one (55965-84-9)
LC50 - Fish [1]	0,19 mg/l (EPA OPP 72-1, 96 h, Oncorhynchus mykiss, Flow-through system, Fresh water, Experimental value, GLP)



# Safety Data Sheet

Bioaccumulative potential

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Mixture of 5-chloro-2-methylisothiazol-3(2H)-on	e and 2-methylisothiazol-3(2H)-one (55965-84-9)
EC50 - Crustacea [1]	0,007 mg/l (48 h, Acartia tonsa, Salt water, Experimental value, GLP)
ErC50 algae	19,9 μg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Skeletonema costatum, Static system, Salt water, Experimental value, GLP)
2.2. Persistence and degradability	
CFS-S ACR / CP 606	
Persistence and degradability	Not established.
2-octyl-2H-isothiazol-3-one (26530-20-1)	
Persistence and degradability	Inherently biodegradable.
1,2-Benzisothiazol-3(2H)-on (2634-33-5)	
Persistence and degradability	Not readily biodegradable in water.
Titanium dioxide (13463-67-7)	
Persistence and degradability	Biodegradability: not applicable.
Chemical oxygen demand (COD)	Not applicable (inorganic)
ThOD	Not applicable (inorganic)
Mixture of 5-chloro-2-methylisothiazol-3(2H)-on	e and 2-methylisothiazol-3(2H)-one (55965-84-9)
Persistence and degradability	Not readily biodegradable in water.
2.3. Bioaccumulative potential	
CFS-S ACR / CP 606	
Bioaccumulative potential	Not established.
2-octyl-2H-isothiazol-3-one (26530-20-1)	
BCF - Fish [1]	1280 (67 day(s), Lepomis macrochirus, Flow-through system, Literature study)
Partition coefficient n-octanol/water (Log Pow)	2,45 (Experimental value)
Bioaccumulative potential	Potential for bioaccumulation (500 ≤ BCF ≤ 5000).
1,2-Benzisothiazol-3(2H)-on (2634-33-5)	
BCF - Fish [1]	6,62 (Equivalent or similar to OECD 305, 56 day(s), Lepomis macrochirus, Experimenta value, Fresh weight)
Partition coefficient n-octanol/water (Log Pow)	-0,9 - 0,99 (Experimental value, EU Method A.8: Partition Coefficient, 20 °C)
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).
Fitanium dioxide (13463-67-7)	
Bioaccumulative potential	Not bioaccumulative.
Mixture of 5-chloro-2-methylisothiazol-3(2H)-on	e and 2-methylisothiazol-3(2H)-one (55965-84-9)
BCF - Fish [1]	41 – 54 (OECD 305: Bioconcentration: Flow-Through Fish Test, 28 day(s), Lepomis macrochirus, Flow-through system, Fresh water, Experimental value, Fresh weight)
Partition coefficient n-octanol/water (Log Pow)	-0,32 – 0,7 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPI method, 20 °C)
	i de la companya de

Low potential for bioaccumulation (BCF < 500).



## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

#### 12.4. Mobility in soil

12.4. mosmy in 5611		
2-octyl-2H-isothiazol-3-one (26530-20-1)		
Ecology - soil	No (test)data on mobility of the substance available.	
1,2-Benzisothiazol-3(2H)-on (2634-33-5)		
Surface tension	72,6 mN/m (20 °C, 0.1 %, EU Method A.5: Surface tension)	
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	0,97 (log Koc, OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage Sludge using High Performance Liquid Chromatography (HPLC), Experimental value, GLP)	
Ecology - soil	Highly mobile in soil.	
Titanium dioxide (13463-67-7)		
Surface tension	No data available in the literature	
Ecology - soil	Low potential for mobility in soil.	
Mixture of 5-chloro-2-methylisothiazol-3(2H)-one and 2-methylisothiazol-3(2H)-one (55965-84-9)		
Surface tension	No data available in the literature	
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	0,81 – 1 (log Koc, Calculated value)	
Ecology - soil	Highly mobile in soil.	

### 12.5. Results of PBT and vPvB assessment

#### CFS-S ACR / CP 606

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

### 12.6. Endocrine disrupting properties

No additional information available

#### 12.7. Other adverse effects

Additional information

Avoid release to the environment.

## **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

Waste treatment methods

Dispose in a safe manner in accordance with local/national regulations.

Product/Packaging disposal recommendations

Recycle the material as far as possible.

European List of Waste (LoW, EC 2000/532) 08 04 10 - waste adhesives and sealants other than those mentioned in 08 04 09

# **SECTION 14: Transport information**

In accordance with ADR / IMDG / IATA / RID /

in accordance with ADR/ IMDG / IATA/ RID/				
ADR	IMDG	IATA	RID	
14.1. UN number or ID number				
Not applicable	Not applicable	Not applicable	Not applicable	
14.2. UN proper shipping name				
Not applicable	Not applicable	Not applicable	Not applicable	



## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

ADR	IMDG	IATA	RID	
14.3. Transport hazard class(es)				
Not applicable	Not applicable	Not applicable	Not applicable	
14.4. Packing group				
Not applicable	Not applicable	Not applicable	Not applicable	
14.5. Environmental hazards				
Not applicable	Not applicable	Not applicable	Not applicable	
No supplementary information available				

#### 14.6. Special precautions for user

#### **Overland transport**

Not applicable

#### Transport by sea

Not applicable

#### Air transport

Not applicable

#### Rail transport

Not applicable

### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

### **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

## **REACH Annex XVII (Restriction List)**

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

#### **REACH Annex XIV (Authorisation List)**

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

### **REACH Candidate List (SVHC)**

Contains no substance(s) listed on the REACH Candidate List

#### **PIC Regulation (Prior Informed Consent)**

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

## POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

#### Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

#### **Explosives Precursors Regulation (2019/1148)**

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)



## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

#### **Drug Precursors Regulation (273/2004)**

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

#### 15.1.2. National regulations

#### Germany

Water hazard class (WGK)
Major Accidents Ordinance (12. BlmSchV)

WGK 2, Significantly hazardous to water (Classification according to AwSV, Annex 1). Is not subject to the Major Accidents Ordinance (12. BImSchV)

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

# **SECTION 16: Other information**

Indication of changes				
Section	Changed item	Change	Comments	
			general update	

Data sources Supplier information. EU: REACH. K-REACH. REGULATION (EC) No 1272/2008 OF THE

EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on

classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

Other information None.

Full text of H- and EUH-statements:		
Acute Tox. 1 (Inhalation)	Acute toxicity (inhal.), Category 1	
Acute Tox. 2 (Dermal)	Acute toxicity (dermal), Category 2	
Acute Tox. 2 (Inhalation)	Acute toxicity (inhal.), Category 2	
Acute Tox. 2 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 2	
Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3	
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4	
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1	
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1	
Carc. 2	Carcinogenicity, Category 2	
EUH071	Corrosive to the respiratory tract.	
EUH208	Contains 2-octyl-2H-isothiazol-3-one, 1,2-Benzisothiazol-3(2H)-on, Mixture of 5-chloro-2-methylisothiazol-3(2H)-one and 2-methylisothiazol-3(2H)-one . May produce an allergic reaction.	
EUH211	Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.	
Eye Dam. 1	Serious eye damage/eye irritation, Category 1	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
H301	Toxic if swallowed.	



# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Full text of H- and EUH-statements:	
H302	Harmful if swallowed.
H310	Fatal in contact with skin.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H351	Suspected of causing cancer.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
Skin Corr. 1	Skin corrosion/irritation, Category 1
Skin Corr. 1C	Skin corrosion/irritation, Category 1, Sub-Category 1C
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
Skin Sens. 1A	Skin sensitisation, category 1A

### SDS\_EU\_Hilti

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.